

**Inter Science Institute**

944 W Hyde Park Blvd, Inglewood, CA 90302

Email: Requests@interscienceinstitute.com

Phone: 800-255-2873 | 310-677-3322 | Fax: 310-677-2846

LABORATORY DIRECTOR: James Lee, MD, PhD

Patient:	Test, test	Accession:	1186
Patient #:	1007	Birth:	1/6/1969
Client:	TEST, TEST	Age:	56 years
		Gender:	Male
		Collection Date:	1/22/2025 12:00 AM
		Received Date:	1/22/2025 4:55 PM
		External Order Number	ow999999s

Test Name	Result	Units	Flag	Reference Range/Cutoff
-----------	--------	-------	------	------------------------

Interleukin 6

SAMPLE TYPE: PLASMA/LAVENDER

IL 6 10.0

pg/mL

H

<3.9

Notes:

**The reference range and other method performance specifications have been only established for this test in plasma and serum. The test result for any special fluids should be integrated into the clinical context for interpretation.

Notes: This test has not been cleared or approved by the US Food and Drug Administration.

This test was developed and its performance characteristics determined by Inter Science Institute. Values obtained with different methods, laboratories, or kits cannot be used interchangeably with the results on this report. The results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.

**Inter Science Institute**

944 W Hyde Park Blvd, Inglewood, CA 90302

Email: Requests@interscienceinstitute.com

Phone: 800-255-2873 | 310-677-3322 | Fax: 310-677-2846

LABORATORY DIRECTOR: James Lee, MD, PhD

Patient:	Test, test	Accession:	1186
Patient #:	1007	Birth:	1/6/1969
Client:	TEST, TEST	Age:	56 years
		Gender:	Male
		Collection Date:	1/22/2025 12:00 AM
		Received Date:	1/22/2025 4:55 PM
		External Order Number	ow999999s

Test Name	Result	Units	Flag	Reference Range/Cutoff
-----------	--------	-------	------	------------------------

Interleukin 6

SAMPLE TYPE: PLASMA/LAVENDER

IL 6

less than 3.1 pg/mL*

pg/mL

<3.9

*Result is below the limit of quantitation.

Notes:

**The reference range and other method performance specifications have been only established for this test in plasma and serum. The test result for any special fluids should be integrated into the clinical context for interpretation.

Notes: This test has not been cleared or approved by the US Food and Drug Administration.

This test was developed and its performance characteristics determined by Inter Science Institute. Values obtained with different methods, laboratories, or kits cannot be used interchangeably with the results on this report. The results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.